

KOMELON®

PRODUCT LINE UP

- **TAPE MEASURE**
- **CUTTER KNIFE**
- **MEASURING WHEEL**
- **LEVEL**
- **SAW**




NEW PRO MAG



- Ultra compact case
- Built in case magnet
- Engineered for Metal Surfaces

ITEM #	LENGTH	WIDTH	QTY	BARCODE
MPR55	5m	25mm	(5) 40	8803005 003197
MPR85	8m	25mm	(5) 40	8803005 003388
MPR55E	5m/16ft	25mm	(5) 40	8803005 003203
MPR85E	8m/26ft	25mm	(5) 40	8803005 003395


NEW LED LIGHT



- Powerful built in LED light
- Conveniently placed power button
- USB charging cable is included

ITEM #	LENGTH	WIDTH	QTY	BARCODE
PLD85	8m	25mm	(4) 24	8803005 002039
PLD85E	8m/26ft	25mm	(4) 24	8803005 002633


NEW EXTREME STANDOUT



- 3.7m True standout
- 32mm Wider blade
- Nylon coating helps the scale stays longer

ITEM #	LENGTH	WIDTH	QTY	BARCODE
PWB52	5m	32mm	(4) 24	8803005 002046
PWB82	8m	32mm	(4) 24	8803005 002053
PWB102	10m	32mm	(4) 24	8803005 002169
PWB52E	5m/16ft	32mm	(4) 24	8803005 002015
PWB82E	8m/26ft	32mm	(4) 24	8803005 002022
PWB102E	10m/33ft	32mm	(4) 24	8803005 002176

NEW COMPACT



- Reinforced hook
- Dual side print
- Nylon coating helps the scale stays longer

ITEM #	LENGTH	WIDTH	QTY	BARCODE
PCT55	5m	25mm	(10) 40	8803005 003067
PCT85	8m	25mm	(10) 40	8803005 003074
PCT55E	5m/16ft	25mm	(10) 40	8803005 0
PCT85E	8m/26ft	25mm	(10) 40	8803005 0


NEW PRO XT / MAG XT



MPJT55




MPLT55



- 0.135mm Thickness of blade (Raw material)
- Superior straightness & standout
- Nylon coating helps the scale stays longer
- Magnetic end hook (MAG-XT)

ITEM #	LENGTH	WIDTH	QTY	BARCODE
MPJT55	5m	25mm	(10) 40	8803005 001476
MPLT55	5m	25mm	(10) 40	8803005 001483


NEW QUICK-DRAW



- Universal tape measure holster
- Belt holder feature allows for tape measure to firmly stay on the belt

ITEM #	LENGTH	WIDTH	QTY	BARCODE
QDTMHN	-	-	(10) 80	8803005 002602

NEW CONTRACTOR - LT




- 3X Faster rewriter
- Built in blade cleaner
- Magnetic mount & Magnetic hook
- Ground stake included

ITEM #	LENGTH	WIDTH	QTY	BARCODE
LFP30/ER	30m	13mm	(1) 5	8803005 002503
LFP50/ER	50m	13mm	(1) 5	8803005 002510
LFP30E/ER	30m/100ft	13mm	(1) 5	8803005 003210
LFP50E/ER	50m/165ft	13mm	(1) 5	8803005 003227


NEW FLAT TAPE




- Flat steel measuring tape with adhesive back
- Apply to any clean flat surface



· Workbench



· Saw Table



· Drafting Table

ITEM #	LENGTH	WIDTH	QTY	BARCODE
FLT13	1m	13mm	(10) 80	8803005 002084
FLT23	2m	13mm	(10) 80	8803005 002091
FLT33	3m	13mm	(10) 80	8803005 002107

KOMELON CORP.

73, Jangpyeongro, Saha-gu, Busan, Korea [TEL] +82 51 290 3160 [FAX] +82 51 290 3114
E-mail : info@komelon.co.kr [www.komelon.com]

STAINLESS STEEL TAPES

INOX POWERBLADE II



- Stainless steel for improved rust resistance
- Powerblade for maximized blade durability
- Both side printing for precise marking

ITEM #	LENGTH	WIDTH	QTY	BARCODE
IPT57	5m	27mm	(8) 32	8803005 879525
IPT87	8m	27mm	(8) 32	8803005 879631
IPT57E	5m/16ft	27mm	(8) 32	8803005 000424
IPT87E	8m/26ft	27mm	(8) 32	8803005 329174

INOX RUBBER



- Stainless steel for improved rust resistance
- Nylon coating helps the scale stays longer
- Impact absorbing rubber protects case and button

ITEM #	LENGTH	WIDTH	QTY	BARCODE
IR36	3m	16mm	(10) 40	8803005 327057
IR59	5m	19mm	(10) 40	8803005 327859
IR55	5m	25mm	(10) 40	8803005 328658
IR85	8m	25mm	(10) 40	8803005 329150
IR59E	5m/16ft	19mm	(10) 40	8803005 327873
IR55E	5m/16ft	25mm	(10) 40	8803005 328672
IR85E	8m/26ft	25mm	(10) 40	8803005 329174

MAGNETIC TAPES

POWERBLADE II



- Powerblade for maximized blade durability
- High Visibility blade for easy reading and both side printed
- Magnetic tip for easy one person measurement

ITEM #	LENGTH	WIDTH	QTY	BARCODE
MPT57	5m	27mm	(8) 32	8803005 879501
MPT87	8m	27mm	(8) 32	8803005 879600
MPT57E	5m/16ft	27mm	(8) 32	8803005 879518
MPT87E	8m/26ft	27mm	(8) 32	8803005 879617

MAGGRIP DUBLX / MAGGRIP EXTRA



- Nylon coating helps the scale stays longer
- Magnetic tip for easy one person measurement
- Impact absorbing rubber protects case and button
- Extra wide nylon coating blade (32mm)

ITEM #	LENGTH	WIDTH	QTY	BARCODE
MD36	3m	16mm	(10) 40	8803005 327002
MD59	5m	19mm	(10) 40	8803005 327804
MD55	5m	25mm	(10) 40	8803005 328610
MD85	8m	25mm	(10) 40	8803005 329105
MD59E	5m/16ft	19mm	(10) 40	8803005 327828
MD55E	5m/16ft	25mm	(10) 40	8803005 328627
MD82E	8m/26ft	25mm	(10) 40	8803005 329129
MX52	5m	32mm	(8) 16	8803005 327705
MX82	8m	32mm	(8) 16	8803005 328306

GRIPPER MAGJACKET



- Ergonomically designed impact absorbing rubber jacket protects case and tip
- Magnetic tip for easy one person measurement
- Nylon coating helps the scale stays longer

ITEM #	LENGTH	WIDTH	QTY	BARCODE
PMJ55	5m	25mm	(10) 40	8803005 319939
PMJ85	8m	25mm	(10) 40	8803005 319724
PMJ59E	5m/16ft	19mm	(10) 80	8803005 000011
PMJ55E	5m/16ft	25mm	(10) 40	8803005 000448
PMJ85E	8m/26ft	25mm	(10) 40	8803005 000455

SELF LOCK TAPES

SELF LOCK EVOLUTION



- High visibility blade for easy reading and both side printed
- Automatic blade lock, push button retrieval
- Magnetic tip for one person measurement

ITEM #	LENGTH	WIDTH	QTY	BARCODE
PSE36	3m	16mm	(10) 80	8803005 867003
PSE59	5m	19mm	(10) 40	8803005 867805
PSE55	5m	25mm	(10) 40	8803005 868611
PSE85	8m	25mm	(10) 40	8803005 869106
PSE36E	3m/10ft	16mm	(10) 80	8803005 867010
PSE59E	5m/16ft	19mm	(10) 40	8803005 000028
PSE55E	5m/16ft	25mm	(10) 40	8803005 868628
PSE85E	8m/26ft	25mm	(10) 40	8803005 869113

SELF LOCK



- Nylon coating helps the scale stays longer
- Automatic blade lock, push button retrieval
- Ergonomically designed case provides easy to hold grip

ITEM #	LENGTH	WIDTH	QTY	BARCODE
PS36	3m	16mm	(6) 48	8803005 367008
PS59	5m	19mm	(6) 48	8803005 367800
PS55	5m	25mm	(5) 40	8803005 368609
PS85	8m	25mm	(5) 40	8803005 369101
PS36E	3m/12ft	16mm	(6) 48	8803005 367060
PS59E	5m/16ft	19mm	(6) 48	8803005 367862
PS55E	5m/16ft	25mm	(5) 40	8803005 368661
PS85E	8m/26ft	25mm	(5) 40	8803005 369163

POWER TAPES

POWERBLADE II



- Add quick-draw universal tape measure holster
- Automatic blade lock, push button retrieval
- Ergonomically designed case provides easy to hold grip

ITEM #	LENGTH	WIDTH	QTY	BARCODE
PPT57	5m	27mm	(8) 32	8803005 878825
PPT57E	5m/16ft	27mm	(8) 32	8803005 000486
PPT87E	8m/26ft	27mm	(8) 32	8803005 000493

KOMELON CORP.

73, Jangpyeongro, Saha-gu, Busan, Korea [TEL] +82 51 290 3160 [FAX] +82 51 290 3114
E-mail : info@komelon.co.kr [www.komelon.com]

PROERGO-C HV



- Nylon coating helps the scale stays longer
- High visibility blade for easy reading
- Ergonomically designed chrome case

ITEM #	LENGTH	WIDTH	QTY	BARCODE
PEV36	3m	16mm	(10) 80	8803005 747084
PEV59	5m	19mm	(10) 40	8803005 747886
PEV85	8m	25mm	(10) 40	8803005 749187
PEV36E	3m/10ft	16mm	(10) 80	8803005 747091
PEV59E	5m/16ft	19mm	(10) 40	8803005 747893
PEV85E	8m/26ft	25mm	(10) 40	8803005 749194

PROERGO-R



- Nylon coating helps the scale stays longer
- Bottom button to pause the blade in use
- Ergonomically designe case provides easy to hole grip

ITEM #	LENGTH	WIDTH	QTY	BARCODE
PER36	3m	16mm	(10) 80	8803005 387044
PER59	5m	19mm	(10) 40	8803005 387846
PER55	5m	25mm	(10) 40	8803005 388645
PER85	8m	25mm	(10) 40	8803005 389147
PER105	10m	25mm	(10) 40	8803005 389444
PER36E	3m/10ft	16mm	(10) 80	8803005 387051
PER59E	5m/16ft	19mm	(10) 40	8803005 387853
PER85E	8m/26ft	25mm	(10) 40	8803005 389024

ECO CHROME



- Ergonomically designed chrome case
- Superior internal mechanism provides smooth operation

ITEM #	LENGTH	WIDTH	QTY	BARCODE
PCE36	3m	16mm	30	8803005 387006
PCE59	5m	19mm	30	8803005 387808
PCE85	8m	25mm	(12) 24	8803005 389109
PCE36E	3m/10ft	16mm	30	8803005 387013
PCE59E	5m/16ft	19mm	30	8803005 387815
PCE85E	8m/26ft	25mm	(12) 24	8803005 389116

ECO



- Ergonomic case for comfortable grip
- Superior internal mechanism provides smooth operation

ITEM #	LENGTH	WIDTH	QTY	BARCODE
PEN36	3m	16mm	30	8803005 387020
PEN59	5m	19mm	30	8803005 387822
PEN85	8m	25mm	(12) 24	8803005 389123
PEN36E	3m/10ft	16mm	30	8803005 387037
PEN59E	5m/16ft	19mm	30	8803005 387839
PEN85E	8m/26ft	25mm	(12) 24	8803005 389130

PROERGO-C



- Nylon coating helps the scale stays longer
- Ergonomically designed chrome case
- Superior internal mechanism provides smooth operation

ITEM #	LENGTH	WIDTH	QTY	BARCODE
PEC36	3m	16mm	(10) 80	8803005 747008
PEC59	5m	19mm	(10) 40	8803005 747800
PEC85	8m	25mm	(10) 40	8803005 749101
PEC105	10m	25mm	(10) 40	8803005 749408
PEC36E	3m/10ft	16mm	(10) 80	8803005 747022
PEC59E	5m/16ft	19mm	(10) 40	8803005 747824
PEC85E	8m/26ft	25mm	(10) 40	8803005 749125
PEC105E	10m/33ft	25mm	(10) 40	8803005 749422

PROERGO



- Nylon coating helps the scale stays longer
- Bottom button to pause the blade in use
- Superior internal mechanism provides smooth operation

ITEM #	LENGTH	WIDTH	QTY	BARCODE
PE26	2m	16mm	(10) 80	8803005 746919
PE36	3m	16mm	(10) 80	8803005 747015
PE59	5m	19mm	(10) 40	8803005 747817
PE55	5m	25mm	(10) 40	8803005 748616
PE85	8m	25mm	(10) 40	8803005 749118
PE105	10m	25mm	(10) 40	8803005 749415
PE36E	3m/10ft	16mm	(10) 80	8803005 747053
PE59E	5m/16ft	19mm	(10) 40	8803005 747855
PE55E	5m/16ft	25mm	(10) 40	8803005 748654
PE85E	8m/26ft	25mm	(10) 40	8803005 749156
PE105E	10m/33ft	25mm	(10) 40	8803005 749453

GRIPPER



- Impact absorbing rubber jacket protects case and tip
- Great to work under hot or cold weather conditions

ITEM #	LENGTH	WIDTH	QTY	BARCODE
PG36	3m	16mm	(10) 80	8803005 267001
PG59	5m	19mm	(10) 40	8803005 267803
PG55	5m	25mm	(10) 40	8803005 268602
PG85	8m	25mm	(10) 40	8803005 269104
PG36E	3m/10ft	16mm	(10) 80	8803005 267025
PG59E	5m/16ft	19mm	(10) 40	8803005 267827
PG55E	5m/16ft	25mm	(10) 40	8803005 268626
PG85E	8m/26ft	25mm	(10) 40	8803005 269128

COMBI PRO



- Nylon coating helps the scale stays longer
- Ergonomic case for comfortable grip
- Superior internal mechanism provides smooth operation

ITEM #	LENGTH	WIDTH	QTY	BARCODE
PCP55	5m	25mm	(10) 40	8803005 258696
PCP55E	5m/16ft	25mm	(10) 40	8803005 258689

KOMELON CORP.

73, Jangpyeongro, Saha-gu, Busan, Korea [TEL] +82 51 290 3160 [FAX] +82 51 290 3114
E-mail : info@komelon.co.kr [www.komelon.com]

COMBI



- Nylon coating helps the scale stays longer
- Ergonomic case for comfortable grip
- Superior internal mechanism provides smooth operation

ITEM #	LENGTH	WIDTH	QTY	BARCODE
PC55E	5m/16ft	25mm	(12) 48	8803005 258658

HANDY



- Compact design fits nicely in hand
- Superior internal mechanism provides smooth operation

ITEM #	LENGTH	WIDTH	QTY	BARCODE
PH23	2m	13mm	(10) 80	8803005 214609
PH36	3m	16mm	(10) 40	8803005 217006
PH56	5m	16mm	(10) 40	8803005 217303

PROHANDS



- Compact design for convenient use
- Superior internal mechanism provides smooth operation

ITEM #	LENGTH	WIDTH	QTY	BARCODE
PPH36	3m	16mm	(10) 40	8803005 000806
PPH56	5m	16mm	(10) 40	8803005 000813

POWERBLADE II - KEYCHAIN



- Carry around at any time for your easy and quick measurement
- Keychain for various purposes

ITEM #	LENGTH	WIDTH	QTY	BARCODE
PPT23T	2m	13mm	(12) 96	8803005 000509
PPT23TE	2m/6ft	13mm	(12) 96	8803005 000516

LONGSTEEL TAPES

UNIGRIP



- Heavy duty ABS frame withstands extreme conditions
- Shock absorbing rubber bumpers
- Nylon coating helps the scale stays longer

ITEM #	LENGTH	WIDTH	QTY	BARCODE
LU30/A	30m	13mm	(1) 5	8803005 165734
LU50/A	50m	13mm	(1) 5	8803005 165932
LU30/G	30m	13mm	(1) 5	8803005 165758
LU50/G	50m	13mm	(1) 5	8803005 165956
LU30/E	30m	13mm	(1) 5	8803005 165741
LU50/E	50m	13mm	(1) 5	8803005 165949
LU30E/E	30m/100ft	13mm	(1) 5	8803005 165765
LU50E/E	50m/165ft	13mm	(1) 5	8803005 165963

FASTBACK ERGO



- High speed gear saves time
- Compact & ergonomic case provides comfortable grip
- Nylon coating helps the scale stays longer

ITEM #	LENGTH	WIDTH	QTY	BARCODE
LFR20/A	20m	10mm	(6) 24	8803005 923303
LFR30/A	30m	10mm	(6) 24	8803005 923600
LFR20/H	20m	10mm	(6) 24	8803005 923334
LFR30/H	30m	10mm	(6) 24	8803005 923631
LFR30E/H	30m/100ft	10mm	(6) 24	8803005 923648

ZERO TYPE



UNIGRIP ERGO



- Comfortable rubber grip fits well in hand
- Folding rewind crank provides fast blade retrieval
- Nylon coating helps the scale stays longer

ITEM #	LENGTH	WIDTH	QTY	BARCODE
LUR20/A	20m	10mm	(6) 24	8803005 903329
LUR30/A	30m	10mm	(6) 24	8803005 903626
LUR20/E	20m	10mm	(6) 24	8803005 903336
LUR30/E	30m	10mm	(6) 24	8803005 903633
LUR30E/E	30m/100ft	10mm	(6) 24	8803005 903640

UNIGRIP SWING



- Long winding handle for easy blade retrieval
- Comfortable grip fits well in hand
- Beltclip for convenient use


ITEM #	LENGTH	WIDTH	QTY	BARCODE
LUG10/A	10m	10mm	(6) 24	8803005 912918
LUG20/A	20m	10mm	(6) 24	8803005 913311
LUG30/A	30m	10mm	(6) 24	8803005 913618
LUG10/E	10m	10mm	(6) 24	8803005 912925
LUG20/E	20m	10mm	(6) 24	8803005 913328
LUG30/E	30m	10mm	(6) 24	8803005 913625
LUG20E/E	20m/66ft	10mm	(6) 24	8803005 913335
LUG30E/E	30m/100ft	10mm	(6) 24	8803005 913632

KOMELON CORP.

73, Jangpyeongro, Saha-gu, Busan, Korea [TEL] +82 51 290 3160 [FAX] +82 51 290 3114
E-mail : info@komelon.co.kr [www.komelon.com]


FIBERGLASS TAPES

ZERO
TYPE




Zero Point of Long Steel & Fiberglass

***Long Steel**



***Fiberglass**



UNIGRIP FLX



- Komelon double coated fiberglass guarantees life time use
- Komelon fiberglass withstands highest tensile strength
- Shock absorbing rubber bumpers

ITEM #	LENGTH	WIDTH	QTY	BARCODE
FU30/A	30m	13mm	(1) 5	8803005 165772
FU50/A	50m	13mm	(1) 5	8803005 165970
FU100/A	100m	13mm	(1) 5	8803005 166670
FU30/G	30m	13mm	(1) 5	8803005 165796
FU50/G	50m	13mm	(1) 5	8803005 165994
FU100/G	100m	13mm	(1) 5	8803005 166694
FU30/E	30m	13mm	(1) 5	8803005 165789
FU50/E	50m	13mm	(1) 5	8803005 165987
FU100/E	100m	13mm	(1) 5	8803005 166687
FU30E/E	30m/100ft	13mm	(1) 5	8803005 165710
FU50E/E	50m/165ft	13mm	(1) 5	8803005 165918
FU100E/E	100m/330ft	13mm	(1) 5	8803005 166618

UNIGRIP NEO



- Komelon double coated fiberglass guarantees life time use
- Folding rewind crank provides fast blade retrieval
- Compact case fits well in hand

ITEM #	LENGTH	WIDTH	QTY	BARCODE
FUN10/A	10m	13mm	(6) 24	8803005 335113
FUN20/A	20m	13mm	(6) 24	8803005 335519
FUN30/A	30m	13mm	(6) 24	8803005 335717
FUN50/A	50m	13mm	(6) 24	8803005 335915
FUN10/E	10m	13mm	(6) 24	8803005 335120
FUN20/E	20m	13mm	(6) 24	8803005 335526
FUN30/E	30m	13mm	(6) 24	8803005 335724
FUN50/E	50m	13mm	(6) 24	8803005 335922
FUN10/G	10m	13mm	(6) 24	8803005 335137
FUN20/G	20m	13mm	(6) 24	8803005 335533
FUN30/G	30m	13mm	(6) 24	8803005 335731
FUN50/G	50m	13mm	(6) 24	8803005 335939
FUN10E/E	10m/33ft	13mm	(6) 24	8803005 335144
FUN20E/E	20m/66ft	13mm	(6) 24	8803005 335540
FUN30E/E	30m/100ft	13mm	(6) 24	8803005 335748
FUN50E/E	50m/165ft	13mm	(6) 24	8803005 335946

SURVEYOR'S ROPE



- The strongest tensile strength of fiberglass tape withstands over 200 kgs(440 lbs) of pulling force
- Double coated blade that strengthen durability and abrasion
- Convenient ring type of strap


ITEM #	LENGTH	WIDTH	QTY	BARCODE
FSR100	100m	7mm	(1) 10	8803005 502003

CUTTER KNIFE

SMI-A4F AUTO LOCK



- Portable clip type end cap
- Strong and sharp SK2Cr4 blade
- High strength stainless steel guide



ITEM #	SIZE	BLADE NODES	QTY	BARCODE
SMI-A4F	9mm	13	(10) 120	8803005 001391

SNB-A4F AUTO LOCK



- Smooth autolock button
- Strong and sharp SK2Cr4 blade
- High strength stainless steel guide



ITEM #	SIZE	BLADE NODES	QTY	BARCODE
SNB-A4F	9mm	13	(10) 120	8803005 001407

SNP-W4 WHEEL LOCK




- Firm metal wheel lock
- Strong and sharp SK2Cr4 blade
- High strength stainless steel guide




ITEM #	SIZE	BLADE NODES	QTY	BARCODE
SNP-W4	9mm	13	(10) 120	8803005 001384

LNB-A5 AUTO LOCK



- Ergonomic grip fits comfortably in hand
- Strong and sharp SK2Cr4 blade
- High strength stainless steel guide




ITEM #	SIZE	BLADE NODES	QTY	BARCODE
LNB-A5	18mm	8	(10) 120	8803005 001421

LNB-W5 WHEEL LOCK



- Ergonomic grip fits comfortably in hand
- Strong and sharp SK2Cr4 blade
- High strength stainless steel guide



ITEM #	SIZE	BLADE NODES	QTY	BARCODE
LNB-W5	18mm	8	(10) 120	8803005 002183

LRG-A5 AUTO LOCK



- Ergonomic grip fits comfortably in hand
- Strong and sharp SK2Cr4 blade
- High strength stainless steel guide



ITEM #	SIZE	BLADE NODES	QTY	BARCODE
LRG-A5	18mm	8	(10) 120	8803005 001438


KOMELON CORP.

73, Jangpyeongro, Saha-gu, Busan, Korea [TEL] +82 51 290 3160 [FAX] +82 51 290 3114
E-mail : info@komelon.co.kr [www.komelon.com]

LRG-W5 **WHEEL LOCK**



- Ergonomic grip fits comfortably in hand
- Strong and sharp SK2Cr4 blade
- High strength stainless steel guide




ITEM #	SIZE	BLADE NODES	QTY	BARCODE
LRG-W5	18mm	8	(10) 120	8803005 001445

LDB-A5 **AUTO LOCK**



- Aluminum diecasting body
- Strong and sharp SK2Cr4 blade
- High strength stainless steel guide



ITEM #	SIZE	BLADE NODES	QTY	BARCODE
LDB-A5	18mm	8	(10) 120	8803005 001414

HNB-W7 **WHEEL LOCK**



- Strong and sharp SK2Cr4 blade
- Firm wheel lock
- High strength stainless steel guide



ITEM #	SIZE	BLADE NODES	QTY	BARCODE
HNB-W7	25mm	7	(6) 72	8803005 001469

HRG-A7 **AUTO LOCK**




- Strong and sharp SK2Cr4 blade
- Ergonomic grip fits comfortably in hand
- High strength stainless steel guide



ITEM #	SIZE	BLADE NODES	QTY	BARCODE
HRG-A7	25mm	7	(6) 72	8803005 001452

HRG-W7 **WHEEL LOCK**




- Strong and sharp SK2Cr4 blade
- Ergonomic grip fits comfortably in hand
- High strength stainless steel guide



ITEM #	SIZE	BLADE NODES	QTY	BARCODE
HRG-W7	25mm	7	(6) 72	8803005 002794

UNB-S6




- Auto retraction safety knife
- Strong and sharp SK2 blade
- Safety lock



ITEM #	SIZE	BLADE NODES	QTY	BARCODE
UNB-S6	19mm	-	(10) 120	8803005 003241

SB4-10E





- Strong and sharp SK2Cr4 blade
- Replacement of 9mm Blade
- Blade nodes - 13



ITEM #	SIZE	BLADE NODES	QTY	BARCODE
SB4-10E	9mm	13	(10/100) 400	8803005 002275

LB5-10E




- Strong and sharp SK2Cr4 blade
- Replacement of 18mm Blade
- Blade nodes - 8




ITEM #	SIZE	BLADE NODES	QTY	BARCODE
LB5-10E	18mm	8	(10) 200	8803005 002282

HB7-10E




- Strong and sharp SK2Cr4 blade
- Replacement of 25mm Blade
- Blade nodes - 7




ITEM #	SIZE	BLADE NODES	QTY	BARCODE
HB7-10E	25mm	7	(10) 100	8803005 002299

LU6-10E



- Strong and sharp SK2 blade
- Replacement of 19mm Blade



ITEM #	SIZE	BLADE NODES	QTY	BARCODE
LU6-10E	19mm	-	(20) 300	8803005 003258

MEASURING WHEEL

ML12 / ML18



- Adjustable twist and lock handle
- Non-slip tread for improved traction
- Magnifying lens for improved readability
- Accurate gear driven counter with push button reset

ITEM #	MIN	MAX	QTY	UNIT
ML12M	31cm	10cm	10cm	10,000m (2) 8 Meter/DM
ML1212	12inch	4inch	1inch	10,000ft (2) 8 Feet/Inches
ML18M	45cm	14cm	10cm	10,000m (2) 8 Meter/DM
ML1812	18inch	6inch	1inch	10,000ft (2) 8 Feet/Inches

KOMELON CORP.



73, Jangpyeongro, Saha-gu, Busan, Korea [TEL] +82 51 290 3160 [FAX] +82 51 290 3114
E-mail : info@komelon.co.kr [www.komelon.com]

DUAL WHEEL



- Comfortable pistol grip
- Adjustable twist and lock handle
- Non-slip tread for improved traction
- Magnifying lens for improved readability
- Accurate gear driven counter with push button reset



ITEM #			MIN	MAX	QTY	UNIT
MK12CM-DW	31cm	10cm	1cm	1,000m	(1) 4	Meter/DM
ML1212-DW	12inch	4inch	1inch	10,000ft	(1) 4	Feet/Inches
ML18CM-DW	45cm	14cm	1cm	1,000m	(1) 4	Meter/DM



MK31

Protective Rubber Counter Jacket



- Comfortable pistol grip
- Adjustable twist and lock handle
- Non-slip tread for improved traction
- Magnifying lens for improved readability
- Accurate gear driven counter with push button reset
- Spring loaded foldable kickstand moulded into counter housing



ITEM #			MIN	MAX	QTY	UNIT
MK31M	79cm	25cm	10cm	10,000m	(1) 2	Meter/DM
MK3112	45cm	31inch	1inch	10,000ft	(1) 2	feet/Inches



MK45

Protective Rubber Counter Jacket



- Comfortable pistol grip
- Adjustable twist and lock handle
- Non-slip tread for improved traction
- Magnifying lens for improved readability
- Accurate gear driven counter with push button reset
- Spring loaded foldable kickstand moulded into counter housing



ITEM #			MIN	MAX	QTY	UNIT
MK45M	114cm	36cm	10cm	10,000m	(1) 2	Meter/DM
MK4512	45inch	14inch	1inch	10,000ft	(1) 2	feet/Inches


MK60

Protective Rubber Counter Jacket




- Comfortable pistol grip
- Adjustable twist and lock handle
- Non-slip tread for improved traction
- Magnifying lens for improved readability
- Accurate gear driven counter with push button reset
- Spring loaded foldable kickstand moulded into counter housing



ITEM #			MIN	MAX	QTY	UNIT
MK60M	152cm	48cm	10cm	10,000m	(1) 2	Meter/DM
MK6012	60inch	19inch	1inch	10,000ft	(1) 2	feet/Inches

LEVEL

MINI LEVEL



- Hard polupropylene end caps
- Magnetic V-groove base, force 3kg
- 3 solid acrylic shockproof vial
- Strong aluminum body

ITEM #	LENGTH	QTY	BARCODE
KLM-10	100mm	(12) 72	8803005 001797
KLM-15	150mm	(12) 72	8803005 001803
KLM-20	200mm	(12) 72	8803005 001810


BASIC LEVEL



- Milled surface with controlled and definable flatness
- Individually calibrated vials with an accuracy of 0.5mm per meter
- Solid acrylic shockproof vials

ITEM #	LENGTH	HEIGHT	DEPTH	ACCURACY	QTY	BARCODE
KLB-30	300mm	50mm	20mm	1.2mm	(10) 60	8803005 103019
KLB-45	450mm	50mm	20mm	1.2mm	(10) 60	8803005 104511
KLB-60	600mm	50mm	20mm	1.2mm	(10) 60	8803005 106010
KLB-90	900mm	50mm	20mm	1.2mm	(10) 40	8803005 109011
KLB-100	1000mm	50mm	20mm	1.2mm	(10) 40	8803005 101015
KLB-120	1200mm	50mm	20mm	1.2mm	(10) 20	8803005 101213
KLB-150	1500mm	50mm	20mm	1.2mm	10	8803005 101510
KLB-180	1800mm	50mm	20mm	1.2mm	10	8803005 101817
KLB-200	2000mm	50mm	20mm	1.2mm	10	8803005 102012


MAGNETIC LEVEL



- Milled surface with controlled and definable flatness
- Individually calibrated vials with an accuracy of 0.5mm per meter
- Magnet to hold on the metal frame and one hand free work
- Solid acrylic shockproof vials

ITEM #	LENGTH	HEIGHT	DEPTH	ACCURACY	QTY	BARCODE
KLM-30	300mm	50mm	20mm	1.2mm	(10) 60	8803005 103026
KLM-45	450mm	50mm	20mm	1.2mm	(10) 60	8803005 104528
KLM-60	600mm	50mm	20mm	1.2mm	(10) 60	8803005 106027
KLM-90	900mm	50mm	20mm	1.2mm	(10) 40	8803005 109028
KLM-100	1000mm	50mm	20mm	1.2mm	(10) 40	8803005 101022
KLM-120	1200mm	50mm	20mm	1.2mm	(10)20	8803005 101220
KLM-150	1500mm	50mm	20mm	1.2mm	10	8803005 101527

TORPEDO



- Full length magnet
- Aluminum frame
- V-groove edge
- Top-read window

ITEM #	LENGTH	QTY	BARCODE
KLT-23	230mm	(20) 100	8803005 102326

KOMELON CORP.

73, Jangpyeongro, Saha-gu, Busan, Korea [TEL] +82 51 290 3160 [FAX] +82 51 290 3114
E-mail : info@komelon.co.kr [www.komelon.com]

SAW

CARPENTER SAW



Replacement Blade Only



ITEM #	LENGTH	TPI	PITCH	QTY
OT-265	10-1/2"/265mm	14.5	0.068"/1.75mm	(6) 24
OT-265B	10-1/2"/265mm	14.5	0.068"/1.75mm	(20) 120

PIPE SAW



Replacement Blade Only



ITEM #	LENGTH	TPI	PITCH	QTY
OT-240	9-1/2"/240mm	17	0.059"/1.5mm	(6) 24
OT-240B	9-1/2"/240mm	17	0.059"/1.5mm	(20) 120

JAB SAW



Replacement Blade Only



ITEM #	LENGTH	TPI	PITCH	QTY
OJ-210	8-1/3"/210mm	13	0.078"/2mm	(6) 48
OJ-210B	8-1/3"/210mm	13	0.078"/2mm	(60) 120

FB SERIES



Replacement Blade Only

ITEM #	LENGTH	TPI	PITCH	QTY
FB-180	7"/180mm	6.5	0.157"/4mm	(4) 24
FB-210	8"/210mm	6.5	0.157"/4mm	(4) 24
FB-240	9-1/2"/240mm	6.5	0.157"/4mm	(4) 24
FB-180B	7"/180mm	6.5	0.157"/4mm	(20) 80
FB-210B	8"/210mm	6.5	0.157"/4mm	(20) 80
FB-240B	9-1/2"/240mm	6.5	0.157"/4mm	(20) 80

FC SERIES



Replacement Blade Only

ITEM #	LENGTH	TPI	PITCH	QTY
FC-180	7"/180mm	6.5	0.157"/4mm	(4) 24
FC-210	8"/210mm	6.5	0.157"/4mm	(4) 24
FC-180B	7"/180mm	6.5	0.157"/4mm	(20) 80
FC-210B	8"/210mm	6.5	0.157"/4mm	(20) 80

CWC SERIES



Replacement Blade Only

ITEM #	LENGTH	TPI	PITCH	QTY
CWC-330	13"/330mm	6.5	0.157"/4mm	(4) 24
CW-330B	13"/330mm	6.5	0.157"/4mm	(20) 80

PWC SERIES



Replacement Blade Only

ITEM #	LENGTH	TPI	PITCH	QTY
PWC-210	8"/210mm	6.5	0.157"/4mm	(4) 24
PWC-240	9-1/2"/240mm	6.5	0.157"/4mm	(4) 24
PWC-270	10-1/2"/270mm	6.5	0.157"/4mm	(4) 24
PWC-300	12"/300mm	6.5	0.157"/4mm	(4) 24
PWC-350	14"/350mm	6.5	0.157"/4mm	(4) 24
Replacement Blade Only				
PW-210B	8"/210mm	6.5	0.157"/4mm	(20) 80
PW-240B	9-1/2"/240mm	6.5	0.157"/4mm	(20) 80
PW-270B	10-1/2"/270mm	6.5	0.157"/4mm	(20) 80
PW-300B	12"/300mm	6.5	0.157"/4mm	(20) 80
PW-350B	14"/350mm	6.5	0.157"/4mm	(20) 80

FEC SERIES



Replacement Blade Only

ITEM #	LENGTH	TPI	PITCH	QTY
FEC-180	7"/180mm	6.5	0.157"/4mm	(4) 24
Replacement Blade Only				
FEC-180B	7"/180mm	6.5	0.157"/4mm	(20) 80

PEC SERIES



Replacement Blade Only

ITEM #	LENGTH	TPI	PITCH	QTY
PEC-210	8"/210mm	6.5	0.157"/4mm	(4) 24
PEC-240	9-1/2"/240mm	6.5	0.157"/4mm	(4) 24
PEC-270	10-1/2"/270mm	6.5	0.157"/4mm	(4) 24
PEC-300	12"/300mm	6.5	0.157"/4mm	(4) 24
PEC-350	14"/350mm	6.5	0.157"/4mm	(4) 24
Replacement Blade Only				
PE-210B	8"/210mm	6.5	0.157"/4mm	(20) 80
PE-240B	9-1/2"/240mm	6.5	0.157"/4mm	(20) 80
PE-270B	10-1/2"/270mm	6.5	0.157"/4mm	(20) 80
PE-300B	12"/300mm	6.5	0.157"/4mm	(20) 80
PE-350B	14"/350mm	6.5	0.157"/4mm	(20) 80

FE SERIES



Replacement Blade Only

ITEM #	LENGTH	TPI	PITCH	QTY
FE-180	7"/180mm	6.5	0.157"/4mm	(4) 24
FE-220	8"/220mm	6.5	0.157"/4mm	(4) 24
Replacement Blade Only				
FE-180B	7"/180mm	6.5	0.157"/4mm	(20) 80
FE-220B	8"/220mm	6.5	0.157"/4mm	(20) 80

KOMELON CORP.

73, Jangpyeongro, Saha-gu, Busan, Korea [TEL] +82 51 290 3160 [FAX] +82 51 290 3114
E-mail : info@komelon.co.kr [www.komelon.com]

FEC SERIES



Replacement Blade Only



ITEM #	LENGTH	TPI	PITCH	QTY	
FEC-180	7"/180mm	6.5	0.157"/4mm	(4) 24	
Replacement Blade Only	FEC-180B	7"/180mm	6.5	0.157"/4mm	(20) 80

CEC SERIES



Replacement Blade Only



ITEM #	LENGTH	TPI	PITCH	QTY	
CEC-330	13"/330mm	6.5	0.157"/4mm	(4) 24	
Replacement Blade Only	CE-330B	13"/330mm	6.5	0.157"/4mm	(20) 80

PEC SERIES



Replacement Blade Only



ITEM #	LENGTH	TPI	PITCH	QTY	
PEC-210	8"/210mm	6.5	0.157"/4mm	(4) 24	
PEC-240	9-1/2"/240mm	6.5	0.157"/4mm	(4) 24	
PEC-270	10-1/2"/270mm	6.5	0.157"/4mm	(4) 24	
PEC-300	12"/300mm	6.5	0.157"/4mm	(4) 24	
PEC-350	14"/350mm	6.5	0.157"/4mm	(4) 24	
Replacement Blade Only	PE-210B	8"/210mm	6.5	0.157"/4mm	(20) 80
Replacement Blade Only	PE-240B	9-1/2"/240mm	6.5	0.157"/4mm	(20) 80
Replacement Blade Only	PE-270B	10-1/2"/270mm	6.5	0.157"/4mm	(20) 80
Replacement Blade Only	PE-300B	12"/300mm	6.5	0.157"/4mm	(20) 80
Replacement Blade Only	PE-350B	14"/350mm	6.5	0.157"/4mm	(20) 80

CPR SERIES



Replacement Blade Only



ITEM #	LENGTH	TPI	PITCH	QTY	
CPR-330	13"/330mm	6.5	0.157"/4mm	(4) 24	
Replacement Blade Only	CPR-330B	13"/330mm	6.5	0.157"/4mm	(20) 80

CPS SERIES



Replacement Blade Only



ITEM #	LENGTH	TPI	PITCH	QTY
CPS-330	13"/330mm	6.5	0.157"/4mm	(4) 24
Replacement Blade Only CPS-330B	13"/330mm	6.5	0.157"/4mm	(20) 80

CPF SERIES



Replacement Blade Only



ITEM #	LENGTH	TPI	PITCH	QTY
CPF-360	14 1/4"/360mm	6.5	0.157"/4mm	(10) 60
Replacement Blade Only CPF-360B	14 1/4"/360mm	6.5	0.157"/4mm	-

CPK SERIES



Replacement Blade Only



ITEM #	LENGTH	TPI	PITCH	QTY
CPK-330	13"/330mm	6.5	0.157"/4mm	(10) 60
Replacement Blade Only CPK-330B	13"/330mm	6.5	0.157"/4mm	-

CPL SERIES



Replacement Blade Only



ITEM #	LENGTH	TPI	PITCH	QTY
CPL-360	14 1/4"/360mm	6.5	0.157"/4mm	(10) 60
Replacement Blade Only CPL-360B	14 1/4"/360mm	6.5	0.157"/4mm	-

Tech Information



Rust-resistant hard chromed blade made of high carbon steel.



Ultra high frequency heated teeth are hardened, which increases the durability of the saw's cutting edge.



Tapered blade provides a smoother, faster cutting performance with the least amount of harm to the cut branch.



Tri-Edge performs clean and smooth cut without scratching the surface.



Replacement blades available.



Replacement blades only

KOMELON CORP.

73, Jangpyeongro, Saha-gu, Busan, Korea [TEL] +82 51 290 3160 [FAX] +82 51 290 3114
E-mail : info@komelon.co.kr [www.komelon.com]

KOMELON®

— Measure of Quality —

KOMELON Corp.

73, Jangpyeongro, Saha-gu,
Busan, Korea

Tel +82 51 290 3163

Fax +82 51 290 3114

Email info@komelon.co.kr

www.komelon.com

KOMELON Steel

Incheon, Korea

KOMELON China

Qingdao, China

KOMELON USA Division

www.komelonusa.com

KOMELON EU

www.komelon.eu

KOMELON UK

www.komelon.co.uk

2022.07